

# Appendix U

## Noise and Vibration Impact Analysis

This appendix describes basic noise and vibration concepts and the methods used to assess the potential construction and vehicle noise impacts. Attachment 1 presents the results of the construction noise impact analysis. Attachment 2 includes the vibration impact analysis. Traffic noise modeling inputs and outputs are presented in Attachment 3.

### U.1 Noise Concepts

Sound is mechanical energy characterized by the rate of oscillation of sound waves (frequency), the speed of propagation, and the pressure level (amplitude). The human ear perceives sound as pressure on the ear. The sound pressure level is the logarithmic ratio of that perceived pressure to a reference pressure, and is expressed in decibels (dB). Approximately zero dB corresponds to the threshold of human hearing.

Environmental sounds are measured with the A-weighted scale of a sound level meter. The A scale simulates the frequency response of the human ear by giving more weight to the middle frequency sounds and less to the low and high frequency sounds. A-weighted sound levels are designated as dBA. Figure U-1 shows the sound levels (dBA) of and human response to common indoor and outdoor noise sources.

Because sounds in the environment usually vary with time, they cannot simply be described with a single number. The equivalent noise level ( $L_{eq}$ ) is the constant sound level that, in a given period, has the same sound energy level as the actual time-varying sound pressure level.  $L_{eq}$  allows noise from various sources to be combined into a measure of cumulative noise exposure. It is commonly used by regulatory agencies to evaluate noise impacts.

In addition to evaluating noise impacts based on compliance with noise standards, project noise impacts can also be assessed by annoyance criteria, or the incremental increase in the existing noise level. The impact of increasing or decreasing noise levels is presented in Table U-1. For example, it shows that a change of 3 dBA is barely perceptible and that a 10 dBA increase or decrease would be perceived by someone to be a doubling or halving of the loudness.

| Sound Source  | Noise Level | Response                                  | Hearing Effects                           | Conversational Relationships |                               |
|---|-------------|---|---|------------------------------|-------------------------------|
|   | 150         |   |   |                              |                               |
| Carrier Deck<br>Jet Operation   | 140         | Painfully Loud                            | Contribution to Hearing Impairment Begins |                              |                               |
|   | 130         |   |   |                              |                               |
| Jet Takeoff (200 ft)  | 120         | Limit Amplified Speech                    |   |                              |                               |
| Auto Horn<br>Riveting Machine<br>Jet Takeoff (2000 ft)<br>Garbage Truck | 110         | Maximum Vocal Effort                      |   |                              | Shouting in Ear               |
|   | 100         |   |   |                              | Shouting (2 ft)               |
| NY Subway Station<br>Heavy Truck (50 ft)                                | 90          | Very Annoying<br>Hearing Damage (8 hours) |   |                              |                               |
| Pneumatic Drill (50 ft)<br>Alarm Clock                                  | 80          | Annoying                                  |   |                              | Very Loud Conversation (4 ft) |
|   | 70          |   |   |                              | Loud Conversation (2 ft)      |
| Freight Train (50 ft)<br>Freeway Traffic (50 ft)                        | 70          | Telephone Use Difficult                   |   |                              |                               |
| Air Conditioning Unit (20 ft)   | 60          | Intrusive                                 |   |                              | Loud Conversation (4 ft)      |
| Light Auto Traffic (100 ft)   | 50          | Quiet                                     |   | Normal Conversation (12 ft)  |                               |
| Living Room<br>Bedroom  | 40          |   |   |                              |                               |
| Library<br>Soft Whisper (15 ft)   | 30          | Very Quiet                                |   |                              |                               |
| Broadcasting Studio   | 20          |   |   |                              |                               |
|   | 10          | Just Audible                              |   |                              |                               |
|   | 0           | Threshold of Hearing                      |   |                              |                               |

Source: Siskiyou County, 1978.

**Figure U-1. Sound Levels and Human Response**

**Table U-1. Decibel Changes, Loudness, and Energy Loss**

| Sound Level Change (dBA) | Relative Loudness          | Acoustical Energy Loss (%) |
|--------------------------|----------------------------|----------------------------|
| 0                        | Reference                  | 0                          |
| -3                       | Barely Perceptible Change  | 50                         |
| -5                       | Readily Perceptible Change | 67                         |
| -10                      | Half as Loud               | 90                         |
| -20                      | 1/4 as Loud                | 99                         |
| -30                      | 1/8 as Loud                | 99.9                       |

Source: FHWA, 2011

The following general guideline was used to assess daily onsite construction noise impacts, as compared to existing ambient levels:

- A less than 3 dBA increase in sound level is considered no impact;
- A 3 to 5 dBA increase in sound level is considered a slight impact;
- A 6 to 10 dBA increase in sound level is considered a moderate impact; and
- A greater than 10 dBA increase in sound level is considered a severe impact.

This analysis assumed that an increase greater than 10 dBA would be significant and would require evaluating construction noise mitigation measures.

## U.2 Vibration Concepts

Vibration is caused by oscillatory waves that propagate through the ground. Ground-borne vibration can cause building floors to shake, windows to rattle, hanging pictures to fall off walls, and in some cases damage buildings.

Like noise, vibration from a single source may consist of a range of frequencies. The magnitude of vibration is commonly expressed as the peak particle velocity (PPV) in the unit of inches per second (in/sec). The PPV is the maximum velocity experienced by any point in a structure during a vibration event and indicates the magnitude of energy transmitted through vibration. PPV is an indicator often used in determining potential damage to buildings from vibration associated with blasting and other construction activities.

Table U-2 summarizes the levels of vibration from construction equipment and the typical effects on people and buildings based on a review of published vibration levels and effects (Caltrans 2004). Although blasting is considered a transient source, human response may vary widely depending on the event duration, frequency of occurrence, startle factor, level of personal activity at the time of the event, health of the individual, time of day, orientation of the individual (standing up or lying down), and political and economic perception of the blasting operation. Ground vibration as low as 0.1 in/sec due to a blasting operation may be considered distinctly to strongly perceptible by a person.

**Table U-2. Summary of Construction Equipment Vibration Levels and Effects on Humans and Buildings**

| Effects  | Peak Particle Velocity (in/sec) |   |
|--|---------------------------------|---|
|  | Transient Sources <sup>1</sup>  | Continuous/Frequent Intermittent Sources <sup>2</sup> |
| <b>Potentially Damaged Structure Type</b>                      |                                 |   |
| Extremely fragile historic buildings, ruins, ancient monuments | 0.12                            | 0.08  |
| Fragile buildings  | 0.2                             | 0.1   |
| Historic and some old buildings                                | 0.5                             | 0.25  |
| Older residential structures                                   | 0.5                             | 0.3   |
| New residential structures                                     | 1.0                             | 0.5   |
| Modern industrial/commercial buildings                         | 2.0                             | 0.5   |
| <b>Human Response</b>  |                                 |   |
| Barely perceptible   | 0.04                            | 0.01  |
| Distinctly perceptible   | 0.25                            | 0.04  |
| Strongly perceptible   | 0.9                             | 0.10  |
| Severe   | 2.0                             | 0.4   |

Source: Caltrans, 2004.

Notes:

<sup>1</sup> Transient sources create a single isolated vibration event, such as blasting and drop balls.

<sup>2</sup> Continuous/frequent intermittent sources include impact pile drivers, vibratory pile drivers, and vibratory compaction equipment.

Vibration from construction and traffic typically does not contribute to building damage, with the occasional exception of blasting and pile-driving during construction. U.S. Bureau of Mines (USBM) and Office of Surface Mining Reclamation and Enforcement (OSM) have developed a blast vibration limit ranging from 0.5 to 2.0 in/sec depending on vibration frequency and distances to protect buildings with various structure type and condition. Studies have shown that blast vibration typically does not damage residential structures even at levels exceeding USBM and OSM blast vibration limits (Caltrans 2004).

Average vibration amplitude is a more appropriate measure for human response as it takes time for the human body to respond. Average particle velocity over time is zero so the root-mean-square amplitude called the vibration velocity level ( $L_v$ ) in VdB is used to quantify annoyance. For a person in their residence, the lower threshold for annoyance is 72 VdB. The  $L_v$  equivalent of the 0.12 in/sec damage criteria for fragile historic buildings is 90 VdB, a much higher value than what a person may perceive as “annoying.” (FTA 2006)

Vibration impacts from the project were considered significant if the peak particle velocity exceeded 0.3 in/sec based on the damage level for older residential structures. Vibration velocity level was considered significant if it exceeded the 72 VdB annoyance level.

### U.3 Construction Noise Impact Assessment Method

Methods described in Federal Highway Administration's (FHWA's) Roadway Construction Noise Model (RCNM) User's Guide (2006) were used to estimate noise impacts associated with construction equipment and onsite waste hauling that are expected to be used in the action alternatives. Table U-3 presents noise levels of common construction equipment operating at full power ( $L_{max}$ ) measured 50 feet from the source, the percent of time the equipment would be operated at full power (usage factor), and the equivalent noise level over a construction shift (FHWA 2006). To comply with the Siskiyou County regulation, the maximum allowable noise level in the Siskiyou County General Plan (1978) was used for equipment whose  $L_{max}$  in the Roadway Construction Noise Model exceeds the Siskiyou County regulation. The  $L_{eq}$  noise levels were calculated for each construction equipment using Equation 1.

Equation 1:

$$L_{eq\_equipment} = 10 \log_{10} [10^{(L_{max\_equipment}/10)} \times UF_{equipment}]$$

Where:

- $L_{max}$  is the maximum sound level for each type of equipment (dBA); and
- UF is the daily usage fraction of time that equipment is used at full power (%).

**Table U-3. Construction Operations, Equipment Types, and Their Noise Levels**

| Equipment Types                  | Usage Factor | $L_{max}$ at 50 feet (dBA) | $L_{eq}$ at 50 feet (dBA) |
|----------------------------------|--------------|----------------------------|---------------------------|
| Air Compressor                   | 40%          | 78                         | 74                        |
| Backhoe                          | 40%          | 78                         | 74                        |
| Blasting                         | 1%           | 94                         | 74                        |
| Compactor                        | 20%          | 83                         | 76                        |
| Concrete Mixer Truck             | 40%          | 79                         | 75                        |
| Concrete Pump Truck <sup>1</sup> | 20%          | 81                         | 74                        |
| Crane                            | 16%          | 81                         | 73                        |
| Dozers <sup>1</sup>              | 40%          | 81                         | 77                        |
| Dump Truck                       | 40%          | 77                         | 73                        |
| Excavator                        | 40%          | 81                         | 77                        |
| Front End Loader                 | 40%          | 80                         | 76                        |
| Generator                        | 50%          | 81                         | 78                        |
| Generator (< 25 kVA)             | 50%          | 73                         | 70                        |
| Grader                           | 40%          | 85                         | 81                        |
| Jackhammer <sup>1</sup>          | 20%          | 81                         | 74                        |
| Mounted Impact Hammer (hoe ram)  | 20%          | 90                         | 83                        |
| Pickup Truck                     | 40%          | 75                         | 71                        |
| Pumps                            | 50%          | 77                         | 74                        |
| Scraper                          | 40%          | 84                         | 80                        |
| Tractor <sup>1</sup>             | 40%          | 81                         | 77                        |

Source: FHWA, 2006. Siskiyou County, 1978.

Notes:

<sup>1</sup> Maximum allowable noise levels from construction equipment at 100 ft from Siskiyou County's General Plan converted to noise levels at 50 ft.

Noise levels were calculated for all equipment expected to be used during peak deconstruction or construction day at each dam. Detailed equipment usage for non-peak days was not available at the time of the analysis. The individual  $L_{eq}$  of each piece of equipment was combined to obtain the total  $L_{eq}$  noise level at each construction site using Equation 2.

*Equation 2:*

$$L_{eq\_total\ source} = 10 \log_{10} [\sum 10^{(L_{eq\_equipment}/10)}]$$

Natural noise attenuation from distance between the construction sites and receptors, atmospheric absorption, and terrain were subtracted from the total  $L_{eq}$  of all equipment. The equivalent  $L_{eq}$  noise levels at each noise-sensitive receptor were calculated using the following equation:

*Equation 3:*

$$L_{eq\_receptor} = L_{eq\_total\ source} - A_{div} - A_{ground} - A_{air} - IL_{barrier}$$

Where:

- $L_{eq\_total\ source}$  is the estimated total  $L_{eq}$  noise level at 50 feet (dBA) calculated using Equation 2;
- $A_{div}$  is the geometrical divergence, or the distance attenuation (dBA) calculated using Equation 4;
- $A_{ground}$  is the attenuation caused by interference between direct and ground-reflected sound (dBA) calculated using Equation 5;
- $A_{air}$  is the attenuation due to atmospheric absorption (dBA); and
- $IL_{barrier}$  is the attenuation due to barrier, including natural terrain, (dBA) calculated with Equations 5 through 7.

*Equation 4:*

$$A_{div} = 20 \log_{10} (d/50)$$

Where:

- $d$  is the distance from the construction site to the noise-sensitive receptor (feet).

This formula results in a 6-dBA loss for each doubling of distance due to spherical divergence. The distances were measured from the construction site to the closest noise-sensitive receptor.

Ground attenuation is dependent on the ground surface characteristics, distance, and source and receptor heights. Constants in Equation 5 are based on a typical construction

equipment noise frequency of 500 hertz and noise source and receptor heights ( $h_s$  and  $h_r$ ) of approximately five feet. The first term is the ground attenuation in the source zone, which extends from the source to  $30h_s$  toward the receptor. The second term is the ground attenuation in the receptor zone, which extends from the receptor to  $30h_r$  toward the source. The third term is the ground attenuation in the zone between the source and receptor zones. The ground factor ( $G$ ) for each zone is zero if the ground surface consists of asphalt or concrete pavement, water, or any hard ground with low porosity. The ground factor for soft ground, or porous ground that is covered by vegetation or loose materials such as snow and pine needles, is zero. For zones with a mixture of soft and hard ground surface areas, the ground factor is the fraction of the ground that is soft.

*Equation 5:*

$$A_{\text{ground}} = (6.5G_s - 1.5) + (6.5G_r - 1.5) - 3\{1 - [30(h_s + h_r)/d]\}(1 - G_m)$$

Where:

- $G_s$  is the ground factor for the source zone (source to  $30h_s$  toward the receptor);
- $G_r$  is the ground factor for the receptor zone (receptor to  $30h_r$  toward the source);
- $h_s$  is the source height (ft);
- $h_r$  is the receptor height (ft);
- $d$  is the distance between the source and the receptor; and
- $G_m$  is the ground factor for the middle zone (between source and receptor zones).

Terrain attenuation was calculated using the Equations 6 through 8.  $A_{\text{ground}}$  in Equation 8 cancels out the term in Equation 3.

*Equations 6 through 8:*

$$N = (2 / \lambda)(d_1 + d_2 - d)$$

$$K = \exp\{-0.0005 \sqrt{[(d_1 d_2 d) / (N\lambda)]}\}$$

$$IL_{\text{barrier}} = 10 \log_{10}(3 + 10NK) - A_{\text{ground}}$$

Where:

- $\lambda$  is the wavelength of the sound wave (ft);
- $d_1$  is the distance between the top of the hill and the noise source (ft);
- $d_2$  is the distance between the top of the hill and the noise receptor (ft);
- $d$  is the distance between the source and the receptor (ft);
- $N$  is called the Fresnel number;
- $K$  is the atmospheric correction factor for  $d > 100$  m; and
- $A_{\text{ground}}$  is the ground attenuation, which eliminates the  $A_{\text{ground}}$  term in Equation 3.

Attenuation associated with atmospheric absorption is dependent on temperature, relative humidity, and frequency of the sound waves. It should be noted that as humidity decreases, the atmospheric attenuation increases because dry air is a poor conductor of sound compared to humid air. Based on an average air temperature of 50°F and 50 percent humidity sound attenuates at 1.9 dB per kilometer (0.0006 dB per ft) at 500 Hz (Harris 1998).

The construction noise level calculated with the above equations must be added to the existing noise levels at the receptor to determine the noise level at the receptor resulting from construction activities. The basic concept of Equation 2 was used to add construction noise impact to existing noise levels at the receptor, as shown in Equation 8. Average daytime  $L_{eq}$  and nighttime  $L_{eq}$  noise levels for rural residential areas found in the *U.S. EPA Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety* (1974) were used to estimate ambient noise levels at selected receptor locations. These levels are 40 dBA during the day (7 am to 10 pm) and 30 dBA at night (10 pm to 7am). Nighttime existing level is used at Iron Gate Dam and Copco 1 Dam receptors, where there is possible impact from nighttime construction activities.

*Equation 8:*

$$L_{eq\_receptor} = 10 \log_{10} [10^{(L_{eq\_total\ equipment}/10)} + 10^{(L_{eq\_existing}/10)}]$$

Where:

- $L_{eq\_total\ equipment}$  is the equivalent total  $L_{eq}$  noise level at the receptor due to construction activities after distance, terrain, and atmospheric attenuation are taken (dBA); and
- $L_{eq\_existing}$  is 40 dBA for daytime noise analysis and 30 dBA for nighttime noise analysis (dBA).

The existing  $L_{eq}$  was subtracted from the resulting total  $L_{eq}$  at the receptor to calculate the increase in noise levels due to construction activity. This impact was compared against the criteria of 10 dBA to determine significance.

Attachment 1 presents the results of the construction noise impact analysis.

## **U.4 Construction Vibration Impact Assessment Method**

Vibration from construction projects is caused by general equipment operations, and is usually highest during pile driving, soil compacting, jack hammering, demolition, and blasting activities. Although it is conceivable for ground-borne vibration from construction projects to cause building damage, the vibration from construction activities is almost never of sufficient amplitude to cause even minor cosmetic damage to buildings. The primary concern is that the vibration can be intrusive and annoying to people inside buildings. Table U-4 presents the vibration levels for typical construction

equipment published in Federal Transit Administration’s (FTA) Transit Noise and Vibration Impact Assessment (2006).

**Table U-4. Vibration Levels for Construction Equipment**

| Equipment Types           | PPV at 25 feet (in/sec) | L <sub>v</sub> at 25 feet (VdB) |
|---------------------------|-------------------------|---------------------------------|
| Clam Shovel Drop          | 0.202                   | 94                              |
| Vibratory Roller          | 0.210                   | 94                              |
| Large Bulldozer / Hoe Ram | 0.089                   | 87                              |
| Caisson Drilling          | 0.089                   | 87                              |
| Loaded Trucks             | 0.076                   | 86                              |
| Jackhammer                | 0.035                   | 79                              |

Source: FTA, 2006.

Total PPV at each construction site is the sum of PPV for all equipment at the construction site. Equation 9 was used to calculate the construction equipment vibration levels at the receiver, based on a reference vibration at a distance of 25 feet.

Equation 9:

$$PPV_{\text{receptor}} = PPV_{\text{source}} (25/d)^{1.5}$$

Where:

- PPV<sub>source</sub> is the total vibration level at 25 feet (in/sec); and
- d is the distance from the equipment to the receptor (ft).

Vibration levels expressed as VdB are treated similarly to noise levels. Equation 10 was used to calculate the total L<sub>v</sub> from all construction equipment. The equivalent L<sub>v</sub> at the receptor was calculated using Equation 11.

Equation 10:

$$L_{v\_total} = 20 \log_{10} \Sigma 10^{(L_{v\_equipment}/20)}$$

Equation 11:

$$L_{v\_receptor} = L_{v\_source} - 30 \log_{10} (d/25)$$

Where:

- d is the distance from the construction site to the noise-sensitive receptor (feet).

Vibration levels associated with blasting are site-specific and are dependent on the amount of explosive used, soil conditions between the blast site and the receptor, and the

elevation where blasting would take place (specifically, the below surface elevation where bedrock would be encountered). Blasting below the surface would produce lower vibration levels at a receptor due to additional attenuation provided by distance and transmission through soil and rock. Vibration from blasting was estimated using the Blast Vibration Prediction Curves published by L.L. Oriard in 1999 and 2000 (Caltrans 2004). One can estimate the PPV of blasting based on the square root scaled distance (Equation 12). The estimated PPV was converted to  $L_v$  using Equation 13. Actual blasting procedures would be dictated by site-specific conditions as determined by the construction contractor prior to construction and through monitoring during construction.

*Equation 12:*

$$D_s = d / \sqrt[3]{W}$$

Where:

- $d$  is the distance from the construction site to the noise-sensitive receptor (feet); and
- $W$  is the charge weight (pounds).

*Equation 13:*

$$L_v = 20 \text{ Log}_{10}(\text{PPV}/10^6) - 12 \text{ (assuming a crest factor of 4)}$$

Calculated PPV and  $L_v$  were compared against the criteria of 0.3 in/sec and 72 VdB, respectively, to determine significance.

## **U.5 Construction-Related Traffic Noise Impact Assessment Methodology**

Peak hour traffic noise levels for the Existing, No-Action, and Action Alternatives were estimated for construction workers' commuting vehicles, delivery trucks, and trucks hauling waste materials using the FHWA Traffic Noise Model, Version 2.5 (TNM2.5). TNM2.5 is capable of modeling noise impacts from automobiles, medium trucks (2 axles), heavy trucks (3 or more axles), buses, and motorcycles factoring in vehicle volume, vehicle speed, roadway configuration, distance to the noise-sensitive receptors, atmospheric absorption, and ground attenuation characteristics (FHWA, 1998a and 2004a). The model is based on measurements collected by the Volpe National Transportation Systems Center Acoustics Facility and is generally considered to be accurate within +/- 3 dB (FHWA, 1998b).

To simplify the analysis, bus and motorcycle volumes were assumed to be negligible and attenuation from the natural terrain and vegetation were not included. It was assumed that there would be equal volumes of traffic on each direction of a roadway and peak hour traffic coincides with the worst 1-hour  $L_{eq}$ . Peak hour noise levels were modeled for generic receptors 50 and 500 feet from the edge of the road. Fifty feet represents the

minimum possible distance for a receptor along any roadway, and 500 feet is the maximum recommended receptor distance for traffic noise models (Caltrans, 2006). The modeled roadway segment should be longer than eight times the maximum source to receptor distance (FHWA 2004b). The maximum distance between the source and receptor is 500 feet; therefore an approximately 5,000 ft road segment was modeled.

Average daily traffic (ADT) counts published by ODOT (2010) and Caltrans (2010) provided the basis for estimating the existing noise levels on OR 66, US 97, and I-5. Existing 1-hr  $L_{eq}$  for Topsy Grade Road and Copco Road and vehicle distributions were provided by the transportation engineers (J. Key, personal communication, December 13, 2010). Based on a review of published ODOT and Caltrans traffic counts, peak hour traffic (PHT) volume was typically 10 to 20 percent of the average daily traffic volume. Changes in noise levels would be greater when the baseline traffic counts are lower; therefore for a conservative analysis, the analysis assumed that PHT is 10 percent of ADT. As free-flow speeds were not available, posted speed limits were entered in the model to be conservative. Because measured traffic counts on I-5 between Yreka and Anderson, California are generally higher than those north of Yreka, significance for the Yreka-Anderson segment was based on the significance of the segment north of Yreka, California. Traffic counts and characteristics of Topsy Grade Road was used to model noise levels on Ager-Beswick Road. It was assumed that there would be no increase in regional traffic between Existing Conditions and No-Action Alternative.

Under the Proposed Action, trucks would haul recyclable metal waste to Weed, California for waste originating in California and to Klamath Falls, Oregon for waste originating in Oregon. Wood waste from Copco 2 Dam would likely be hauled to a hazardous waste landfill in Anderson, CA. For construction of fish passages, rebar and wood would be supplied from Medford, OR, and concrete would be transported from Yreka, CA. The haul routes would likely be I-5, US 97, OR 66, Copco Road, Topsy Grade Road, and Ager-Beswick Road. Details regarding the roadways affected by this Proposed Action are presented in the Transportation Section (Section 3.22, Traffic and Transportation). The greater of the number of trucks available for each material or the peak daily haul truck volumes divided by 8 was used as the hourly truck volume. The estimated shift length is 8 hours. The hourly truck volumes were added to the existing/no-action peak hour traffic volumes. This analysis assumes that off-site hauling to suppliers and disposal areas would only occur during the daytime. All new truck trips are assumed to consist of heavy trucks, those with 3 axles or greater for use in the TNM2.5 model.

Construction workers would commute from Yreka, California or Medford, Oregon to Iron Gate, Copco 1, and Copco 2 sites and from Keno or Klamath Falls, Oregon to the J.C. Boyle site according to the Population and Housing Section (Section 3.17, Population and Housing). Maximum number of construction workers for J.C. Boyle was added to automobile traffic on US 97, OR 66, and Topsy Grade Road. Maximum total construction workers for Iron Gate, Copco 1, and Copco 2 were added to automobile traffic volume on Copco Rd and I-5. Because the distribution of workers from Medford, Oregon and Yreka, California on I-5 are unknown, maximum number of workers

commuting to the California dams were added to both segments of I-5 for a conservative analysis.

For Alternatives 2, 3, and 5, truck and commute trips for all dams using the same road were combined. For Alternative 4, the maximum number of trucks and passenger vehicles traveling each road was used because construction is scheduled to occur one dam at a time.

Significance is defined as an increase of 12 dBA in California (Caltrans 2006) or 10 dBA in Oregon (ODOT 2009) or more above existing 1-hour Leq for traffic-induced noise.

The results of the traffic noise modeling analysis are presented in Attachment 3.

## **U.6 References**

California Department of Transportation (Caltrans). 2004. Transportation- and Construction-Induced Vibration Guidance Manual. June. Available at: <http://www.dot.ca.gov/hq/env/noise/pub/vibrationmanFINAL.pdf>. Accessed on February 10, 2011.

Caltrans. 2006. Traffic Noise Analysis Protocol. August. Available at: [http://www.dot.ca.gov/hq/env/noise/pub/2006\\_protocol.pdf](http://www.dot.ca.gov/hq/env/noise/pub/2006_protocol.pdf). Accessed on February 10, 2011.

Caltrans. 2010. Traffic and Vehicle Data Systems Unit: 2009 All Traffic Volumes on California State Highway System. Available at: <http://traffic-counts.dot.ca.gov/2009all/2009TrafficVolumes.htm>. Accessed on November 19, 2010.

Federal Highway Administration (FHWA). 1998a. FHWA Traffic Noise Model® User's Guide. January.

FHWA. 1998b. FHWA Traffic Noise Model® Technical Manual. February.

FHWA. 2004a. FHWA Traffic Noise Model® User's Guide (Version 2.5 Addendum). April. Available at: [http://www.fhwa.dot.gov/environment/noise/traffic\\_noise\\_model/tnm\\_v25/users\\_manual/TNM25UsersGuideAddendum.pdf](http://www.fhwa.dot.gov/environment/noise/traffic_noise_model/tnm_v25/users_manual/TNM25UsersGuideAddendum.pdf). Accessed on February 10, 2011.

FHWA. 2004b. Traffic Noise Model: Frequently Asked Questions. April. Available at: [http://www.fhwa.dot.gov/environment/noise/traffic\\_noise\\_model/tnm\\_faqs/faq06.cfm#m\\_iroadways](http://www.fhwa.dot.gov/environment/noise/traffic_noise_model/tnm_faqs/faq06.cfm#m_iroadways). Accessed on February 10, 2011.

FHWA. 2006. Roadway Construction Noise Model User's Guide. January. Available at: [http://www.fhwa.dot.gov/environment/noise/construction\\_noise/rcnm/rcnmcover.cfm](http://www.fhwa.dot.gov/environment/noise/construction_noise/rcnm/rcnmcover.cfm). Accessed on February 10, 2011.

FHWA. 2011. Highway Traffic Noise: Analysis and Abatement Guidance. January. Available at: [http://www.fhwa.dot.gov/environment/noise/regulations\\_and\\_guidance/analysis\\_and\\_abatement\\_guidance/revguidance.pdf](http://www.fhwa.dot.gov/environment/noise/regulations_and_guidance/analysis_and_abatement_guidance/revguidance.pdf). Accessed on February 10, 2011.

Federal Transit Administration. 2006. Transit Noise and Vibration Impact Assessment. May. Available at: [http://www.fta.dot.gov/documents/FTA\\_Noise\\_and\\_Vibration\\_Manual.pdf](http://www.fta.dot.gov/documents/FTA_Noise_and_Vibration_Manual.pdf). Accessed on February 10, 2011.

Harris, Cyril M. 1998. Handbook of Acoustical Measurements and Noise Control. 3<sup>rd</sup> ed. Acoustical Society of America.

Oregon Department of Transportation (ODOT). 2009. Noise Manual. March. Available at: <ftp://ftp.odot.state.or.us/techserv/Geo-Environmental/Environmental/Procedural%20Manuals/Air%20and%20Noise/ODOT%20Noise%20Manual.pdf>. Accessed on February 10, 2011.

Oregon Department of Transportation (ODOT). 2010. 2009 Traffic Volumes on State Highways. Available at: [http://www.oregon.gov/ODOT/TD/TDATA/tsm/docs/2009\\_TVT.pdf](http://www.oregon.gov/ODOT/TD/TDATA/tsm/docs/2009_TVT.pdf). Accessed on November 19, 2010.

Siskiyou County. 1978. Siskiyou County General Plan Noise Element. December 6. Available at: <http://www.co.siskiyou.ca.us/phs/planning/docs/generalplan/Noise%20Element.pdf>. Accessed on February 10, 2011.

U.S. Environmental Protection Agency. 1974. Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety. March. Available at: <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000L3LN.txt>. Accessed on February 10, 2011.

This page intentionally left blank.

**Attachment 1**  
**Construction Noise Impact Analysis**

**Table U1A. Copco 1 Dam and Powerhouse - Peak Day Construction Equipment Noise Level**

**Proposed Action; Partial Facilities Removal; Remove Two Dams - Shift 1**

| Equipment Type            | Leq at 50 ft per Unit (dBA) | Number of Equipment | Total Leq at 50 ft per Equipment Type (dBA) |
|---------------------------|-----------------------------|---------------------|---|
| Crane                     | 73                          | 2                   | 76  |
| Excavator                 | 77                          | 4                   | 83  |
| Hoe ram                   | 83                          | 1                   | 83  |
| Articulated wheel loader  | 75                          | 2                   | 78  |
| Dump truck                | 73                          | 2                   | 76  |
| Pick-up truck             | 71                          | 4                   | 77  |
| Water tanker, off-highway | 77                          | 1                   | 77  |
| Engine generator          | 78                          | 2                   | 81  |
| Air compressor            | 74                          | 4                   | 80  |
| Drill                     | 74                          | 4                   | 80  |
| Submersible pump          | 78                          | 2                   | 81  |
| Blast                     | 74                          | 9                   | 84  |
| <b>TOTAL</b>              |                             |                     | 91  |

**Proposed Action; Partial Facilities Removal; Remove Two Dams - Shift 2**

| Equipment Type            | Leq at 50 ft per Unit (dBA) | Number of Equipment | Total Leq at 50 ft per Equipment Type (dBA) |
|---------------------------|-----------------------------|---------------------|---|
| Crane                     | 73                          | 2                   | 76  |
| Excavator                 | 77                          | 1                   | 77  |
| Pick-up truck             | 71                          | 4                   | 77  |
| Water tanker, off-highway | 77                          | 1                   | 77  |
| Engine generator          | 78                          | 2                   | 81  |
| Air compressor            | 74                          | 4                   | 80  |
| Drill                     | 74                          | 4                   | 80  |
| Submersible pump          | 78                          | 2                   | 81  |
| <b>TOTAL</b>              |                             |                     | 88  |

**Fish Passage at Four Dams**

| Equipment Type            | Leq at 50 ft per Unit (dBA) | Number of Equipment | Total Leq at 50 ft per Equipment Type (dBA) |
|---------------------------|-----------------------------|---------------------|---|
| Crane                     | 73                          | 4                   | 79  |
| Excavator                 | 77                          | 1                   | 77  |
| Hoe ram                   | 83                          | 1                   | 83  |
| Articulated wheel loader  | 75                          | 1                   | 75  |
| Dump truck                | 73                          | 1                   | 73  |
| Crawler dozer             | 77                          | 1                   | 77  |
| Pick-up truck             | 71                          | 3                   | 76  |
| Water tanker, off-highway | 77                          | 1                   | 77  |
| Concrete mixer            | 75                          | 6                   | 83  |
| Concrete pump truck       | 74                          | 1                   | 74  |
| Compactor                 | 76                          | 1                   | 76  |
| Engine generator          | 78                          | 1                   | 78  |
| Portable generator        | 70                          | 2                   | 73  |
| Air compressor            | 74                          | 2                   | 77  |
| Drill                     | 74                          | 1                   | 74  |
| Submersible pump          | 78                          | 2                   | 81  |
| <b>TOTAL</b>              |                             |                     | 90  |

Calculations based on FHWA Roadway Construction Noise Model.

**Table U1B. Attenuation Calculations for Copco 1 Receptor**

|   |                         |
|---|-------------------------|
| <b>Receptor Name</b>                    | Residence on Janice Ave |
| <b>Distance from Source to Receptor</b> | 2200 ft                 |
| <b>Total Attenuation for Receptor</b>   | 39 dB                   |

$A_{total} = A_{div} + A_{air} + A_{ground} + IL_{topography}$

**Distance Attenuation**

|  |    |
|--|----|
| <b>Divergence (<math>A_{div}</math>, dB)</b> | 33 |
|--|----|

$A_{div} = 20 \times \log(d/50)$

**Atmospheric Attenuation**

|   |        |
|---|--------|
| <b>Assumptions</b>  |        |
| Ambient pressure (kPa)  | 101.3  |
| Average temperature (F)   | 50     |
| Relative humidity (%)   | 50     |
| Frequency of noise source (Hz)                                  | 500    |
| <b>Air Attenuation Coefficient (<math>\alpha</math>, dB/km)</b> | 1.9    |
| <b>(dB/ft)</b>  | 0.0006 |
| <b>Atmospheric Attenuation (<math>A_{air}</math>, dB)</b>       | 1.3    |

Conversion: 0.3048 m/ft  
1000 m/km

Weather in Montague, CA

Average temperature 51  
Average relative humidity 60%

$A_{air} = \alpha d$

**Ground Attenuation**

|   |       |
|---|-------|
| <b>Parameters</b>                                       |       |
| Source Height ( $h_s$ , ft)                             | 5     |
| Receptor Height ( $h_r$ , ft)                           | 5     |
| $d_s$   | 150   |
| $d_m$   | 1,900 |
| $d_r$   | 150   |
| Ground Factor at Source ( $G_s$ )                       | 0     |
| Ground Factor at Receptor ( $G_r$ )                     | 0     |
| Ground Factor in the Middle ( $G_m$ )                   | 0.4   |
| $A_s$   | -1.5  |
| $A_r$   | -1.5  |
| $A_m$   | -1.6  |
| <b>Ground Attenuation (<math>A_{ground}</math>, dB)</b> | 0.0   |

$d_s = 30 \times h_s$   
between  $d_s$  and  $d_r$   
 $d_r = 30 \times h_r$   
Ground type G  
Hard 0  
Soft 1  
 $A_s = (6.5 \times G) - 1.5$   
 $A_r = (6.5 \times G) - 1.5$   
 $A_{ground} = A_s + A_r + A_m$

Assume 500 Hz.

**Terrain Attenuation**

|  |       |
|--|-------|
| <b>Parameters</b>                                    |       |
| Distance from source to apex of hill ( $d_1$ , ft)   | 502   |
| Distance from receptor to apex of hill ( $d_2$ , ft) | 1700  |
| Distance from source to receptor ( $d$ , ft)         | 2,200 |
| Speed of Sound (ft/sec)                              | 1126  |
| Frequency (Hz)                                       | 500   |
| Wavelength ( $\lambda$ )                             | 2.25  |
| <b>Fresnel Number (N)</b>                            | 2.4   |
| <b>Atmospheric Correction (K)</b>                    | 0.00  |
| <b>Topographic Attenuation (dB)</b>                  | 5     |

$N = (2 / \lambda) \times [d_1 + d_2 - d]$   
 $K = \exp[-0.0005 \sqrt{(d_1 \times d_2 \times d) / (N \times \lambda)}]$   
 $IL = 10 \times \log[3 + 10 \times N \times K] - A_{ground}$

*Reference:*

Harris, Cyril M. 1998. *Handbook of Acoustical Measurements and Noise Control*. 3rd ed. - Chapter 3 Calculation of Attenuation  
Weather in Montague, CA. <http://qwikcast.weatherbase.com/weather/weatherall.php3?s=88057&refer>

**Table U1C. Receptor Noise Level from Construction Activities at the Copco 1 Dam and Powerhouse**

| Alternative            | Project 1-hr Leq at Receptor (dBA) | Above Existing (dBA) |
|------------------------|------------------------------------|----------------------|
| Proposed Action        | 49-52                              | 10-22                |
| Partial Removal        | 49-52                              | 10-22                |
| Fish Passage at 4 Dams | 52                                 | 12                   |
| Fish Passage at 2 Dams | 49-52                              | 10-22                |
| Criteria               | N/A                                | 10                   |

**Proposed Alternative; Partial Removal Alternative; Fish Passage at Two Dams, Remove Two Dams Alternative**

| Time  | Existing Leq (dBA) | Source Leq (dBA) | Receptor Leq (dBA) | Receptor Leq Above Existing (dBA) |
|-------|--------------------|------------------|--------------------|-----------------------------------|
| 0:00  | 30                 | 0                | 30                 | 0                                 |
| 1:00  | 30                 | 0                | 30                 | 0                                 |
| 2:00  | 30                 | 0                | 30                 | 0                                 |
| 3:00  | 30                 | 0                | 30                 | 0                                 |
| 4:00  | 30                 | 0                | 30                 | 0                                 |
| 5:00  | 30                 | 0                | 30                 | 0                                 |
| 6:00  | 30                 | 91               | 52                 | 22                                |
| 7:00  | 40                 | 91               | 52                 | 12                                |
| 8:00  | 40                 | 91               | 52                 | 12                                |
| 9:00  | 40                 | 91               | 52                 | 12                                |
| 10:00 | 40                 | 91               | 52                 | 12                                |
| 11:00 | 40                 | 0                | 40                 | 0                                 |
| 12:00 | 40                 | 91               | 52                 | 12                                |
| 13:00 | 40                 | 91               | 52                 | 12                                |
| 14:00 | 40                 | 91               | 52                 | 12                                |
| 15:00 | 40                 | 88               | 50                 | 10                                |
| 16:00 | 40                 | 88               | 50                 | 10                                |
| 17:00 | 40                 | 88               | 50                 | 10                                |
| 18:00 | 40                 | 0                | 40                 | 0                                 |
| 19:00 | 40                 | 88               | 50                 | 10                                |
| 20:00 | 40                 | 88               | 50                 | 10                                |
| 21:00 | 40                 | 88               | 50                 | 10                                |
| 22:00 | 30                 | 88               | 49                 | 19                                |
| 23:00 | 30                 | 88               | 49                 | 19                                |

Assume one-hour breaks for construction workers at 11:00 and 18:00.

**Fish Passage at Four Dams Alternative**

| Time  | Existing Leq (dBA) | Source Leq (dBA) | Receptor Leq (dBA) | Receptor Leq Above Existing (dBA) |
|-------|--------------------|------------------|--------------------|-----------------------------------|
| 0:00  | 30                 | 0                | 30                 | 0                                 |
| 1:00  | 30                 | 0                | 30                 | 0                                 |
| 2:00  | 30                 | 0                | 30                 | 0                                 |
| 3:00  | 30                 | 0                | 30                 | 0                                 |
| 4:00  | 30                 | 0                | 30                 | 0                                 |
| 5:00  | 30                 | 0                | 30                 | 0                                 |
| 6:00  | 30                 | 0                | 30                 | 0                                 |
| 7:00  | 40                 | 90               | 52                 | 12                                |
| 8:00  | 40                 | 90               | 52                 | 12                                |
| 9:00  | 40                 | 90               | 52                 | 12                                |
| 10:00 | 40                 | 90               | 52                 | 12                                |
| 11:00 | 40                 | 0                | 40                 | 0                                 |
| 12:00 | 40                 | 90               | 52                 | 12                                |
| 13:00 | 40                 | 90               | 52                 | 12                                |
| 14:00 | 40                 | 90               | 52                 | 12                                |
| 15:00 | 40                 | 90               | 52                 | 12                                |
| 16:00 | 40                 | 0                | 40                 | 0                                 |
| 17:00 | 40                 | 0                | 40                 | 0                                 |
| 18:00 | 40                 | 0                | 40                 | 0                                 |
| 19:00 | 40                 | 0                | 40                 | 0                                 |
| 20:00 | 40                 | 0                | 40                 | 0                                 |
| 21:00 | 40                 | 0                | 40                 | 0                                 |
| 22:00 | 30                 | 0                | 30                 | 0                                 |
| 23:00 | 30                 | 0                | 30                 | 0                                 |

Assume a one-hour break for construction workers at 11:00.

**Table U1D. Iron Gate Dam and Powerhouse - Peak Day Construction Equipment Noise Level**

**Proposed Action; Partial Facilities Removal; Remove Two Dams (per shift)**

| <b>Equipment Type</b>     | <b>Leq at 50 ft per Unit (dBA)</b> | <b>Number of Equipment</b> | <b>Total Leq at 50 ft per Equipment Type (dBA)</b> |
|---------------------------|------------------------------------|----------------------------|--|
| Crane                     | 73                                 | 2                          | 76   |
| Excavator                 | 77                                 | 4                          | 83   |
| Dump truck                | 73                                 | 20                         | 86   |
| Crawler dozer             | 77                                 | 2                          | 80   |
| Pick-up truck             | 71                                 | 3                          | 76   |
| Water tanker, off-highway | 77                                 | 1                          | 77   |
| Engine generator          | 78                                 | 2                          | 81   |
| Submersible pump          | 78                                 | 4                          | 84   |
| TOTAL                     |                                    |                            | 91   |

**Fish Passage at Four Dams**

| <b>Equipment Type</b>     | <b>Leq at 50 ft per Unit (dBA)</b> | <b>Number of Equipment</b> | <b>Total Leq at 50 ft per Equipment Type (dBA)</b> |
|---------------------------|------------------------------------|----------------------------|--|
| Crane                     | 73                                 | 4                          | 79   |
| Excavator                 | 77                                 | 1                          | 77   |
| Hoe ram                   | 83                                 | 1                          | 83   |
| Articulated wheel loader  | 75                                 | 1                          | 75   |
| Dump truck                | 73                                 | 2                          | 76   |
| Crawler dozer             | 77                                 | 1                          | 77   |
| Pick-up truck             | 71                                 | 3                          | 76   |
| Water tanker, off-highway | 77                                 | 1                          | 77   |
| Concrete mixer            | 75                                 | 4                          | 81   |
| Concrete pump truck       | 74                                 | 1                          | 74   |
| Compactor                 | 76                                 | 1                          | 76   |
| Engine generator          | 78                                 | 3                          | 82   |
| Portable generator        | 70                                 | 2                          | 73   |
| Air compressor            | 74                                 | 2                          | 77   |
| Drill                     | 74                                 | 2                          | 77   |
| Submersible pump          | 78                                 | 2                          | 81   |
| TOTAL                     |                                    |                            | 91   |

*Calculations based on FHWA, Roadway Construction Noise Model, January 2006.*

**Table U1E. Attenuation Calculations for Iron Gate Receptor**

|   |                           |  |
|---|---------------------------|--|
| <b>Receptor Name</b>                    | Residence on Tarpon Drive |  |
| <b>Distance from Source to Receptor</b> | 4500 ft                   |  |
| <b>Total Attenuation for Receptor</b>   | 46 dB                     | $A_{total} = A_{div} + A_{air} + A_{ground} + IL_{topography}$ |

**Distance Attenuation**

|  |    |                                  |
|--|----|----------------------------------|
| <b>Divergence (<math>A_{div}</math>, dB)</b> | 39 | $A_{div} = 20 \times \log(d/50)$ |
|--|----|----------------------------------|

**Atmospheric Attenuation**

| <b>Assumptions</b>  |        |
|---|--------|
| Ambient pressure (kPa)  | 101.3  |
| Average temperature (F)   | 50     |
| Relative humidity (%)   | 50     |
| Frequency of noise source (Hz)                                  | 500    |
| <b>Air Attenuation Coefficient (<math>\alpha</math>, dB/km)</b> | 1.9    |
| <b>(dB/ft)</b>  | 0.0006 |
| <b>Atmospheric Attenuation (<math>A_{air}</math>, dB)</b>       | 2.6    |

Conversion: 0.3048 m/ft  
1000 m/km

Weather in Montague, CA  
Average temperature 51  
Average relative humidity 60%

$A_{air} = \alpha d$

**Ground Attenuation**

| <b>Parameters</b>                                   |       |
|---|-------|
| Source Height (hs, ft)                              | 5     |
| Receptor Height (hr, ft)                            | 5     |
| ds  | 150   |
| dm  | 4,201 |
| dr  | 150   |
| Ground Factor at Source (Gs)                        | 0     |
| Ground Factor at Receptor (Gr)                      | 1     |
| Ground Factor in the Middle (Gm)                    | 0.4   |
| As  | -1.5  |
| Ar  | 5     |
| Am  | -1.7  |
| <b>Ground Attenuation (<math>A_{ground}</math>)</b> | 2     |

$ds = 30 \times hs$   
between ds and dr  
 $dr = 30 \times hr$   
Ground type G  
Hard 0  
Soft 1  
 $As = (6.5 \times G) - 1.5$   
 $Ar = (6.5 \times G) - 1.5$   
 $A_{ground} = As + Ar + Am$

Assume 500 Hz.

**Terrain Attenuation**

| <b>Parameters</b>                               |       |
|---|-------|
| Distance from source to apex of hill (d1, ft)   | 1600  |
| Distance from receptor to apex of hill (d2, ft) | 2901  |
| Distance from source to receptor (d, ft)        | 4,501 |
| Speed of Sound (ft/sec)                         | 1126  |
| Frequency (Hz)                                  | 500   |
| Wavelength ( $\lambda$ )                        | 2.25  |
| <b>Fresnel Number (N)</b>                       | 0.2   |
| <b>Atmospheric Correction (K)</b>               | 0.00  |
| <b>Topographic Attenuation (dB)</b>             | 3     |

$N = (2 / \lambda) \times [d1 + d2 - d]$   
 $K = \exp[-0.0005 v[(d1 \times d2 \times d) / (N \times \lambda)]]$   
 $IL = 10 \times \log[3 + 10 \times N \times K] - A_{ground}$

*Reference:*

Harris, Cyril M. 1998. *Handbook of Acoustical Measurements and Noise Control*. 3rd ed. - Chapter 3 Calculation of Attenuation  
Weather in Montague, CA. <http://qwikcast.weatherbase.com/weather/weatherall.php3?s=88057&refer>

**Table U1F. Receptor Noise Level from Construction Activities at the Iron Gate Dam and Powerhouse**

| Alternative            | Project 1-hr Leq at Receptor (dBA) | Above Existing (dBA) |
|------------------------|------------------------------------|----------------------|
| Proposed Action        | 44-46                              | 6-14                 |
| Partial Removal        | 44-46                              | 6-14                 |
| Fish Passage at 4 Dams | 46                                 | 6                    |
| Fish Passage at 2 Dams | 44-46                              | 6-14                 |
| Criteria               | N/A                                | 10                   |

**Proposed Alternative; Partial Removal Alternative; Fish Passage at Two Dams, Remove Two Dams Alternative**

| Time  | Existing Leq (dBA) | Source Leq (dBA) | Receptor Leq (dBA) | Receptor Leq Above Existing (dBA) |
|-------|--------------------|------------------|--------------------|-----------------------------------|
| 0:00  | 30                 | 0                | 30                 | 0                                 |
| 1:00  | 30                 | 0                | 30                 | 0                                 |
| 2:00  | 30                 | 0                | 30                 | 0                                 |
| 3:00  | 30                 | 0                | 30                 | 0                                 |
| 4:00  | 30                 | 0                | 30                 | 0                                 |
| 5:00  | 30                 | 0                | 30                 | 0                                 |
| 6:00  | 30                 | 0                | 30                 | 0                                 |
| 7:00  | 40                 | 91               | 46                 | 6                                 |
| 8:00  | 40                 | 91               | 46                 | 6                                 |
| 9:00  | 40                 | 91               | 46                 | 6                                 |
| 10:00 | 40                 | 91               | 46                 | 6                                 |
| 11:00 | 40                 | 0                | 40                 | 0                                 |
| 12:00 | 40                 | 91               | 46                 | 6                                 |
| 13:00 | 40                 | 91               | 46                 | 6                                 |
| 14:00 | 40                 | 91               | 46                 | 6                                 |
| 15:00 | 40                 | 91               | 46                 | 6                                 |
| 16:00 | 40                 | 91               | 46                 | 6                                 |
| 17:00 | 40                 | 91               | 46                 | 6                                 |
| 18:00 | 40                 | 91               | 46                 | 6                                 |
| 19:00 | 40                 | 0                | 40                 | 0                                 |
| 20:00 | 40                 | 91               | 46                 | 6                                 |
| 21:00 | 40                 | 91               | 46                 | 6                                 |
| 22:00 | 30                 | 91               | 44                 | 14                                |
| 23:00 | 30                 | 0                | 30                 | 0                                 |

Assume one-hour breaks for construction workers at 11:00 and 19:00.

**Fish Passage at Four Dams Alternative**

| Time  | Existing Leq (dBA) | Source Leq (dBA) | Receptor Leq (dBA) | Receptor Leq Above Existing (dBA) |
|-------|--------------------|------------------|--------------------|-----------------------------------|
| 0:00  | 30                 | 0                | 30                 | 0                                 |
| 1:00  | 30                 | 0                | 30                 | 0                                 |
| 2:00  | 30                 | 0                | 30                 | 0                                 |
| 3:00  | 30                 | 0                | 30                 | 0                                 |
| 4:00  | 30                 | 0                | 30                 | 0                                 |
| 5:00  | 30                 | 0                | 30                 | 0                                 |
| 6:00  | 30                 | 0                | 30                 | 0                                 |
| 7:00  | 40                 | 91               | 46                 | 6                                 |
| 8:00  | 40                 | 91               | 46                 | 6                                 |
| 9:00  | 40                 | 91               | 46                 | 6                                 |
| 10:00 | 40                 | 91               | 46                 | 6                                 |
| 11:00 | 40                 | 0                | 40                 | 0                                 |
| 12:00 | 40                 | 91               | 46                 | 6                                 |
| 13:00 | 40                 | 91               | 46                 | 6                                 |
| 14:00 | 40                 | 91               | 46                 | 6                                 |
| 15:00 | 40                 | 91               | 46                 | 6                                 |
| 16:00 | 40                 | 0                | 40                 | 0                                 |
| 17:00 | 40                 | 0                | 40                 | 0                                 |
| 18:00 | 40                 | 0                | 40                 | 0                                 |
| 19:00 | 40                 | 0                | 40                 | 0                                 |
| 20:00 | 40                 | 0                | 40                 | 0                                 |
| 21:00 | 40                 | 0                | 40                 | 0                                 |
| 22:00 | 30                 | 0                | 30                 | 0                                 |
| 23:00 | 30                 | 0                | 30                 | 0                                 |

Assume a one-hour break for construction workers at 11:00.

This page intentionally left blank

## **Attachment 2**

# **Construction Vibration Impact Analysis**

**Table U2A. Copco 1 Dam and Powerhouse - Peak Day Construction Equipment Vibration Level**

**Proposed Action; Partial Facilities Removal; Remove Two Dams - Shift 1**

| Equipment Description     | Number of Equipment | At Source<br>25 ft |                      | At Receptor<br>2200 ft |                      |
|---------------------------|---------------------|--------------------|----------------------|------------------------|----------------------|
|                           |                     | PPV<br>(in/sec)    | L <sub>v</sub> (VdB) | PPV<br>(in/sec)        | L <sub>v</sub> (VdB) |
| Crane                     | 2                   | 0.404              | 100                  | 0.0005                 | 42                   |
| Excavator                 | 4                   | 0.356              | 99                   | 0.0004                 | 41                   |
| Hoe ram                   | 1                   | 0.089              | 87                   | 0.0001                 | 29                   |
| Articulated wheel loader  | 2                   | 0.178              | 93                   | 0.0002                 | 35                   |
| Dump truck                | 2                   | 0.152              | 92                   | 0.0002                 | 34                   |
| Pick-up truck             | 4                   | 0                  | 0                    | 0.0000                 | 0                    |
| Water tanker, off-highway | 1                   | 0.076              | 86                   | 0.0001                 | 28                   |
| Engine generator          | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Air compressor            | 4                   | 0                  | 0                    | 0.0000                 | 0                    |
| Drill                     | 4                   | 0.14               | 91                   | 0.0002                 | 33                   |
| Submersible pump          | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| TOTAL without blasting    | N/A                 | 1.40               | 111                  | 0.002                  | 53                   |
| Blast                     | 9                   | N/A                | N/A                  | 0.0630                 | 84                   |
| TOTAL with blasting       | N/A                 | N/A                | N/A                  | 0.065                  | 84                   |

**Proposed Action; Partial Facilities Removal; Remove Two Dams - Shift 1**

| Equipment Description     | Number of Equipment | At Source<br>25 ft |                      | At Receptor<br>2200 ft |                      |
|---------------------------|---------------------|--------------------|----------------------|------------------------|----------------------|
|                           |                     | PPV<br>(in/sec)    | L <sub>v</sub> (VdB) | PPV<br>(in/sec)        | L <sub>v</sub> (VdB) |
| Crane                     | 2                   | 0.404              | 100                  | 0.0005                 | 42                   |
| Excavator                 | 1                   | 0.089              | 87                   | 0.0001                 | 29                   |
| Pick-up truck             | 4                   | 0                  | 0                    | 0.0000                 | 0                    |
| Water tanker, off-highway | 1                   | 0.076              | 86                   | 0.0001                 | 28                   |
| Engine generator          | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Air compressor            | 4                   | 0                  | 0                    | 0.0000                 | 0                    |
| Drill                     | 4                   | 0.14               | 91                   | 0.0002                 | 33                   |
| Submersible pump          | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| TOTAL                     |                     | 0.71               | 105                  | 0.001                  | 47                   |

**Fish Passage at Four Dams**

| Equipment Description     | Number of Equipment | At Source<br>25 ft |                      | At Receptor<br>2200 ft |                      |
|---------------------------|---------------------|--------------------|----------------------|------------------------|----------------------|
|                           |                     | PPV<br>(in/sec)    | L <sub>v</sub> (VdB) | PPV<br>(in/sec)        | L <sub>v</sub> (VdB) |
| Crane                     | 4                   | 0.808              | 106                  | 0.0010                 | 48                   |
| Excavator                 | 1                   | 0.089              | 87                   | 0.0001                 | 29                   |
| Hoe ram                   | 1                   | 0.089              | 87                   | 0.0001                 | 29                   |
| Articulated wheel loader  | 1                   | 0.089              | 87                   | 0.0001                 | 29                   |
| Dump truck                | 1                   | 0.076              | 86                   | 0.0001                 | 28                   |
| Crawler dozer             | 1                   | 0.089              | 87                   | 0.0001                 | 29                   |
| Pick-up truck             | 3                   | 0                  | 0                    | 0.0000                 | 0                    |
| Water tanker, off-highway | 1                   | 0.076              | 86                   | 0.0001                 | 28                   |
| Concrete mixer            | 6                   | 0.456              | 102                  | 0.0006                 | 44                   |
| Concrete pump truck       | 1                   | 0.076              | 86                   | 0.0001                 | 28                   |
| Compactor                 | 1                   | 0.21               | 94                   | 0.0003                 | 36                   |
| Engine generator          | 1                   | 0                  | 0                    | 0.0000                 | 0                    |
| Portable generator        | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Air compressor            | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Drill                     | 1                   | 0.035              | 79                   | 0.0000                 | 21                   |
| Submersible pump          | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| TOTAL                     |                     | 2.09               | 115                  | 0.0025                 | 57                   |

Calculations based on FTA Transit Noise and Vibration Impact Assessment (2006).

**Table U2B. Copco 2 Dam - Peak Day Construction Equipment Vibration Level**

**Proposed Action**

| Equipment Description     | Number of Equipment | At Source<br>25 ft |                      | At Receptor<br>3700 ft |                      |
|---------------------------|---------------------|--------------------|----------------------|------------------------|----------------------|
|                           |                     | PPV (in/sec)       | L <sub>v</sub> (VdB) | PPV (in/sec)           | L <sub>v</sub> (VdB) |
| Crane                     | 3                   | 0.606              | 104                  | 0.0003                 | 39                   |
| Excavator                 | 2                   | 0.178              | 93                   | 0.0001                 | 28                   |
| Hoe ram                   | 2                   | 0.178              | 93                   | 0.0001                 | 28                   |
| Articulated wheel loader  | 3                   | 0.267              | 97                   | 0.0001                 | 32                   |
| Dump truck                | 2                   | 0.152              | 92                   | 0.0001                 | 27                   |
| Crawler dozer             | 1                   | 0.089              | 87                   | 0.0000                 | 22                   |
| Pick-up truck             | 3                   | 0                  | 0                    | 0.0000                 | 0                    |
| Water tanker, off-highway | 1                   | 0.076              | 86                   | 0.0000                 | 21                   |
| Engine generator          | 5                   | 0                  | 0                    | 0.0000                 | 0                    |
| Air compressor            | 3                   | 0                  | 0                    | 0.0000                 | 0                    |
| Drill                     | 4                   | 0.14               | 91                   | 0.0001                 | 26                   |
| Submersible pump          | 5                   | 0                  | 0                    | 0.0000                 | 0                    |
| TOTAL                     |                     | 1.69               | 113                  | 0.0009                 | 48                   |

**Partial Removal**

| Equipment Description     | Number of Equipment | At Source<br>25 ft |                      | At Receptor<br>3700 ft |                      |
|---------------------------|---------------------|--------------------|----------------------|------------------------|----------------------|
|                           |                     | PPV (in/sec)       | L <sub>v</sub> (VdB) | PPV (in/sec)           | L <sub>v</sub> (VdB) |
| Crane                     | 3                   | 0.606              | 104                  | 0.0003                 | 39                   |
| Excavator                 | 2                   | 0.178              | 93                   | 0.0001                 | 28                   |
| Hoe ram                   | 2                   | 0.178              | 93                   | 0.0001                 | 28                   |
| Articulated wheel loader  | 3                   | 0.267              | 97                   | 0.0001                 | 32                   |
| Dump truck                | 2                   | 0.152              | 92                   | 0.0001                 | 27                   |
| Crawler dozer             | 1                   | 0.089              | 87                   | 0.0000                 | 22                   |
| Pick-up truck             | 3                   | 0                  | 0                    | 0.0000                 | 0                    |
| Water tanker, off-highway | 1                   | 0.076              | 86                   | 0.0000                 | 21                   |
| Engine generator          | 5                   | 0                  | 0                    | 0.0000                 | 0                    |
| Air compressor            | 3                   | 0                  | 0                    | 0.0000                 | 0                    |
| Drill                     | 3                   | 0.105              | 89                   | 0.0001                 | 24                   |
| Submersible pump          | 5                   | 0                  | 0                    | 0.0000                 | 0                    |
| TOTAL                     |                     | 1.65               | 113                  | 0.0009                 | 48                   |

**Fish Passage at Four Dams; Fish Passage at Two Dams**

| Equipment Description     | Number of Equipment | At Source<br>25 ft |                      | At Receptor<br>3700 ft |                      |
|---------------------------|---------------------|--------------------|----------------------|------------------------|----------------------|
|                           |                     | PPV (in/sec)       | L <sub>v</sub> (VdB) | PPV (in/sec)           | L <sub>v</sub> (VdB) |
| Crane                     | 3                   | 0.606              | 104                  | 0.0003                 | 39                   |
| Excavator                 | 1                   | 0.089              | 87                   | 0.0000                 | 22                   |
| Hoe ram                   | 1                   | 0.089              | 87                   | 0.0000                 | 22                   |
| Articulated wheel loader  | 1                   | 0.089              | 87                   | 0.0000                 | 22                   |
| Dump truck                | 2                   | 0.152              | 92                   | 0.0001                 | 27                   |
| Crawler dozer             | 1                   | 0.089              | 87                   | 0.0000                 | 22                   |
| Pick-up truck             | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Water tanker, off-highway | 1                   | 0.076              | 86                   | 0.0000                 | 21                   |
| Concrete mixer            | 3                   | 0.228              | 96                   | 0.0001                 | 31                   |
| Concrete pump truck       | 1                   | 0.076              | 86                   | 0.0000                 | 21                   |
| Compactor                 | 1                   | 0.21               | 94                   | 0.0001                 | 29                   |
| Engine generator          | 1                   | 0                  | 0                    | 0.0000                 | 0                    |
| Portable generator        | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Air compressor            | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Drill                     | 1                   | 0.035              | 79                   | 0.0000                 | 14                   |
| Submersible pump          | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| TOTAL                     |                     | 1.74               | 113                  | 0.0010                 | 48                   |

Calculations based on FTA Transit Noise and Vibration Impact Assessment (2006).

**Table U2C. Iron Gate Dam and Powerhouse - Peak Day Construction Equipment Vibration Level**

**Proposed Action; Partial Facilities Removal; Remove Two Dams (per shift)**

| Equipment Description     | Number of Equipment | At Source<br>25 ft |                      | At Receptor<br>4500 ft |                      |
|---------------------------|---------------------|--------------------|----------------------|------------------------|----------------------|
|                           |                     | PPV<br>(in/sec)    | L <sub>v</sub> (VdB) | PPV<br>(in/sec)        | L <sub>v</sub> (VdB) |
| Crane                     | 2                   | 0.404              | 100                  | 0.0002                 | 32                   |
| Excavator                 | 4                   | 0.356              | 99                   | 0.0001                 | 31                   |
| Dump truck                | 20                  | 1.52               | 112                  | 0.0006                 | 44                   |
| Crawler dozer             | 2                   | 0.178              | 93                   | 0.0001                 | 25                   |
| Pick-up truck             | 3                   | 0                  | 0                    | 0.0000                 | 0                    |
| Water tanker, off-highway | 1                   | 0.076              | 86                   | 0.0000                 | 18                   |
| Engine generator          | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Submersible pump          | 4                   | 0                  | 0                    | 0.0000                 | 0                    |
| <b>TOTAL</b>              |                     | <b>2.53</b>        | <b>116</b>           | <b>0.0010</b>          | <b>48</b>            |

**Fish Passage at Four Dams**

| Equipment Description     | Number of Equipment | At Source<br>25 ft |                      | At Receptor<br>4500 ft |                      |
|---------------------------|---------------------|--------------------|----------------------|------------------------|----------------------|
|                           |                     | PPV<br>(in/sec)    | L <sub>v</sub> (VdB) | PPV<br>(in/sec)        | L <sub>v</sub> (VdB) |
| Crane                     | 4                   | 0.808              | 106                  | 0.0003                 | 38                   |
| Excavator                 | 1                   | 0.089              | 87                   | 0.0000                 | 19                   |
| Hoe ram                   | 1                   | 0.089              | 87                   | 0.0000                 | 19                   |
| Articulated wheel loader  | 1                   | 0.089              | 87                   | 0.0000                 | 19                   |
| Dump truck                | 2                   | 0.152              | 92                   | 0.0001                 | 24                   |
| Crawler dozer             | 1                   | 0.089              | 87                   | 0.0000                 | 19                   |
| Pick-up truck             | 3                   | 0                  | 0                    | 0.0000                 | 0                    |
| Water tanker, off-highway | 1                   | 0.076              | 86                   | 0.0000                 | 18                   |
| Concrete mixer            | 4                   | 0.304              | 98                   | 0.0001                 | 30                   |
| Concrete pump truck       | 1                   | 0.076              | 86                   | 0.0000                 | 18                   |
| Compactor                 | 1                   | 0.21               | 94                   | 0.0001                 | 26                   |
| Engine generator          | 1                   | 0                  | 0                    | 0.0000                 | 0                    |
| Portable generator        | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Air compressor            | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| Drill                     | 2                   | 0.07               | 85                   | 0.0000                 | 17                   |
| Submersible pump          | 2                   | 0                  | 0                    | 0.0000                 | 0                    |
| <b>TOTAL</b>              |                     | <b>2.05</b>        | <b>114</b>           | <b>0.0008</b>          | <b>46</b>            |

Calculations based on FTA Transit Noise and Vibration Impact Assessment (2006).

**Table U2D. Summary of Vibration Levels from Construction Equipment**

| Source Location | Total Equipment Peak Particle Velocity (in/sec) for each Alternative |                             |                           |                          |                       |  |
|-----------------|--|-----------------------------|---------------------------|--------------------------|-----------------------|--|
|                 | Full Removal Alternative   | Partial Removal Alternative | Fish Passage at Four Dams | Fish Passage at Two Dams | Significance Criteria |  |
| Copco1          | 0.063  | 0.063                       | 0.003                     | 0.063                    | 0.3                   |  |
| Copco 2         | 0.001  | 0.001                       | 0.001                     | 0.001                    | 0.3                   |  |
| Iron Gate       | 0.001  | 0.001                       | 0.001                     | 0.001                    | 0.3                   |  |

| Source Location | Total Equipment Ground-Vibration (VdB) for Each Alternative |                             |                           |                          |                       |  |
|-----------------|---|-----------------------------|---------------------------|--------------------------|-----------------------|--|
|                 | Full Removal Alternative                                    | Partial Removal Alternative | Fish Passage at Four Dams | Fish Passage at Two Dams | Significance Criteria |  |
| Copco1          | 84  | 84                          | 53                        | 84                       | 72                    |  |
| Copco 2         | 44  | 44                          | 46                        | 46                       | 72                    |  |
| Iron Gate       | 40  | 40                          | 43                        | 40                       | 72                    |  |

This page intentionally left blank

## **Attachment 3**

# **Traffic Noise Impact Analysis**

**Table U3A. Estimated Traffic Counts for Existing Conditions**

| Road Segment                   | AADT  | AADT Distribution (%) <sup>1</sup> |                            | AADT Distribution         |        |               | PHT Distribution <sup>3</sup> |      |               | PHT Distribution for Each Direction <sup>4</sup> |      |               |              |
|--------------------------------|-------|------------------------------------|----------------------------|---------------------------|--------|---------------|-------------------------------|------|---------------|--|------|---------------|--------------|
|                                |       | Auto <sup>2</sup>                  | Medium Trucks <sup>2</sup> | Heavy Trucks <sup>2</sup> | Auto   | Medium Trucks | Heavy Trucks                  | Auto | Medium Trucks | Heavy Trucks                                     | Auto | Medium Trucks | Heavy Trucks |
| Topsy Grade Rd <sup>5</sup>    | 200   | 58.82                              | 34.85                      | 6.33                      | 118    | 70            | 13                            | 12   | 7             | 2  | 6    | 4             | 1            |
| OR 66 <sup>6</sup>             | 500   | 58.82                              | 34.85                      | 6.33                      | 294    | 174           | 32                            | 29   | 17            | 3  | 15   | 9             | 2            |
| US 97 <sup>7</sup>             | 6300  | 33.55                              | 28.34                      | 38.11                     | 2114   | 1785          | 2401                          | 211  | 179           | 240  | 106  | 90            | 120          |
| Ager-Beswick Rd <sup>8</sup>   | 200   | 58.82                              | 34.85                      | 6.33                      | 117.64 | 69.7          | 12.66                         | 12   | 7             | 2  | 6    | 4             | 1            |
| Copco Rd <sup>5</sup>          | 250   | 71.34                              | 0                          | 28.66                     | 178    | 0             | 72                            | 18   | 0             | 7  | 9    | 0             | 4            |
| I-5 (Oregon) <sup>9</sup>      | 24400 | 69.45                              | 17.56                      | 12.99                     | 16946  | 4285          | 3170                          | 1695 | 428           | 317  | 848  | 214           | 159          |
| I-5 (California) <sup>10</sup> | 15200 | 71.34                              | 0                          | 28.66                     | 10844  | 0             | 4356                          | 1084 | 0             | 436  | 542  | 0             | 218          |

Notes:

- <sup>1</sup> AADT distribution percentage provided by transportation engineers (J. Key, personal communication, December 13, 2010).
- <sup>2</sup> TNM vehicle classification: Auto = cars and light duty trucks, Medium Trucks = cargo vehicles with two axles and six tires; Heavy trucks = cargo vehicles with three or more axles.
- <sup>3</sup> PHT assumed to be 10% of AADT based on a review of published Caltrans and ODOT traffic counts (ODOT, 2010; Caltrans, 2010).
- <sup>4</sup> PHT for each direction assumed to be the same in both direction of traffic.
- <sup>5</sup> Traffic count estimated from field observations (CDM, field observations, October 17, 2010).
- <sup>6</sup> AADT at MP 48.73, 0.02 mile east of Harmer Mountain Road (ODOT, 2010).
- <sup>7</sup> AADT at MP 273.92, 0.30 mile south of Nevada Avenue Interchange (ODOT, 2010).
- <sup>8</sup> Assume Ager-Beswick Rd is similar to Topsy Grade Rd (J. Key, personal communication, February 8, 2011).
- <sup>9</sup> AADT at MP 18.60, 0.50 mile south of North Ashland Interchange (ODOT, 2010).
- <sup>10</sup> Lowest AADT measured along I-5 in 2009 between Copco Rd and Oberlin Rd; MP 61.553 at Henley Way (Caltrans, 2010).

**Table U3B. Characteristics of Roads Analyzed for Hauling and Worker Commute Noise Impact**

| Road Segment      | Total Number of Lanes | Width (feet)          |        |       | Modeled Speed |
|-------------------|-----------------------|-----------------------|--------|-------|---------------|
|                   |                       | North/Eastbound Lanes | Median | SB/WB |               |
| Topsy Grade Road  | 2                     | 12                    | 0      | 12    | 35            |
| US 97             | 2                     | 12                    | 0      | 12    | 65            |
| I-5 (Oregon)      | 4                     | 25                    | 100    | 25    | 65            |
| OR 66             | 2                     | 12                    | 0      | 12    | 55            |
| I-5 (California)  | 4                     | 25                    | 70     | 25    | 70            |
| Copco Road        | 2                     | 12                    | 0      | 12    | 55            |
| Ager-Beswick Road | 2                     | 12                    | 0      | 12    | 35            |

Source: J. Key, personal communication, December 29, 2010 and February 8, 2011

**Table U3C. Maximum Estimated Number of Construction Workers**

| Dam                      | Number of Workers |       |       |       |
|--------------------------|-------------------|-------|-------|-------|
|                          | Alt 2             | Alt 3 | Alt 4 | Alt 5 |
| J.C. Boyle               | 45                | 41    | 20    | 20    |
| Copco 1 (day)            | 36                | 36    | 25    | 36    |
| Copco 1 (night)          | 20                | 20    | N/A   | 20    |
| Copco 2                  | 40                | 38    | 20    | 20    |
| Iron Gate (day)          | 40                | 40    | 30    | 40    |
| Iron Gate (night)        | 40                | 40    | N/A   | 40    |
| CA Dams Subtotal (day)   | 116               | 114   | 75    | 96    |
| CA Dams Subtotal (night) | 60                | 60    | 0     | 60    |

**Alternative 4**

| Road Segment     | Direction | JC Boyle | Copco 1 | Copco 2 | Iron Gate | Maximum |
|------------------|-----------|----------|---------|---------|-----------|---------|
| Topsy Grade Rd   | North     | 0        | 0       | 0       | 0         | 0       |
|                  | South     | 20       | 0       | 0       | 0         | 20      |
| OR 66            | East      | 0        | 0       | 0       | 0         | 0       |
|                  | West      | 20       | 0       | 0       | 0         | 20      |
| US 97            | North     | 0        | 0       | 0       | 0         | 0       |
|                  | South     | 20       | 0       | 0       | 0         | 20      |
| Ager Rd          | North     | 0        | 0       | 0       | 0         | 0       |
|                  | South     | 0        | 0       | 0       | 0         | 0       |
| Copco Rd         | East      | 0        | 25      | 20      | 30        | 30      |
|                  | West      | 0        | 0       | 0       | 0         | 0       |
| I-5 (Oregon)     | North     | 0        | 0       | 0       | 0         | 0       |
|                  | South     | 0        | 25      | 20      | 30        | 30      |
| I-5 (California) | North     | 0        | 25      | 20      | 30        | 30      |
|                  | South     | 0        | 0       | 0       | 0         | 0       |

| Road Segment     | Direction | Number of Commuters per Hour |       |       |       |
|------------------|-----------|------------------------------|-------|-------|-------|
|                  |           | Alt 2                        | Alt 3 | Alt 4 | Alt 5 |
| Topsy Grade Rd   | North     | 0                            | 0     | 0     | 0     |
|                  | South     | 45                           | 41    | 20    | 20    |
| OR 66            | East      | 0                            | 0     | 0     | 0     |
|                  | West      | 45                           | 41    | 20    | 20    |
| US 97            | North     | 0                            | 0     | 0     | 0     |
|                  | South     | 45                           | 41    | 20    | 20    |
| Ager Rd          | North     | 0                            | 0     | 0     | 0     |
|                  | South     | 0                            | 0     | 0     | 0     |
| Copco Rd         | East      | 116                          | 114   | 30    | 96    |
|                  | West      | 0                            | 0     | 0     | 0     |
| I-5 (Oregon)     | North     | 0                            | 0     | 0     | 0     |
|                  | South     | 116                          | 114   | 30    | 96    |
| I-5 (California) | North     | 116                          | 114   | 30    | 96    |
|                  | South     | 0                            | 0     | 0     | 0     |

Assume all construction workers arrive within an hour.

Assumption from Population and Housing Section:

- Workers for JC Boyle assumed to commute from Klamath Falls, via US 97, OR 66, and Topsy Grade Rd.
- Workers for Iron Gate & Copco facilities assumed to commute from Medford and Yreka, via I-5 and Copco Rd.

Alt 4 construction at each dam occurs in a different year, therefore, the maximum worker travel on each road is used.

Table U3D. Peak Hourly Off-Site Haul Trucks

| Dam        | Destination   | Origin   | Alt 2 Peak Daily |       | Alt 3 Peak Daily |       | Alt 4 Peak Daily |       | Alt 5 Peak Daily |       |
|------------|---------------|----------|------------------|-------|------------------|-------|------------------|-------|------------------|-------|
|            |               |          | Units            | Trips | Units            | Trips | Units            | Trips | Units            | Trips |
| J.C. Boyle | Klamath Falls |          | 4                | 20    | 2                | 10    | 0                | 0     | 0                | 0     |
|            | Medford       | Medford  | 0                | 0     | 0                | 0     | 2                | 2     | 2                | 2     |
|            | Yreka         | Yreka    | 0                | 0     | 0                | 0     | 2                | 9     | 2                | 9     |
| Copco 1    | Medford       | Medford  | 0                | 0     | 0                | 0     | 2                | 2     | 0                | 0     |
|            | Yreka         | Yreka    | 0                | 0     | 0                | 0     | 2                | 9     | 0                | 0     |
|            | Yreka         | Yreka    | 2                | 10    | 1                | 5     | 0                | 0     | 2                | 10    |
| Copco 2    | Medford       | Medford  | 0                | 0     | 0                | 0     | 2                | 2     | 2                | 2     |
|            | Yreka         | Yreka    | 0                | 0     | 0                | 0     | 2                | 9     | 2                | 9     |
|            | Yreka         | Yreka    | 5                | 25    | 3                | 15    | 0                | 0     | 0                | 0     |
| Iron Gate  | Anderson      | Anderson | 1                | 2     | 1                | 2     | 0                | 0     | 0                | 0     |
|            | Medford       | Medford  | 0                | 0     | 0                | 0     | 2                | 2     | 0                | 0     |
|            | Yreka         | Yreka    | 0                | 0     | 0                | 0     | 2                | 9     | 0                | 0     |
|            | Yreka         | Yreka    | 2                | 10    | 1                | 5     | 0                | 0     | 2                | 10    |

| Dam        | Destination   | Origin   | Peak Hourly Trucks |       |       |       |             | Road Segments |           |           |           |           |           |           |
|------------|---------------|----------|--------------------|-------|-------|-------|-------------|---------------|-----------|-----------|-----------|-----------|-----------|-----------|
|            |               |          | Alt 2              | Alt 3 | Alt 4 | Alt 5 | Topsy Grade | OR 66         | US 97     | Ager      | Copco     | I-5 (OR)  | I-5 (CA)  |           |
|            |               |          | Units              | Trips | Units | Trips | Units       | Trips         | Direction | Direction | Direction | Direction | Direction | Direction |
| J.C. Boyle | Klamath Falls |          | 4                  | 4     | 0     | 0     | North       | East          | North     |           |           |           |           |           |
|            | Medford       | Medford  | 0                  | 0     | 2     | 2     | South       | East          |           |           |           | South     |           |           |
|            | Yreka         | Yreka    | 0                  | 0     | 2     | 2     | South       | East          |           |           |           | South     | North     |           |
| Copco 1    | Medford       | Medford  | 0                  | 0     | 2     | 0     |             |               |           |           |           |           | North     |           |
|            | Yreka         | Yreka    | 0                  | 0     | 2     | 0     |             |               |           |           |           |           | South     |           |
|            | Yreka         | Yreka    | 2                  | 1     | 0     | 2     |             |               |           |           |           |           | West      |           |
| Copco 2    | Medford       | Medford  | 0                  | 0     | 2     | 2     |             |               |           |           |           |           | East      |           |
|            | Yreka         | Yreka    | 0                  | 0     | 2     | 2     |             |               |           |           |           |           | East      |           |
|            | Yreka         | Yreka    | 5                  | 3     | 0     | 2     |             |               |           |           |           |           | West      |           |
| Iron Gate  | Anderson      | Anderson | 1                  | 1     | 0     | 0     |             |               |           |           |           |           | South     |           |
|            | Medford       | Medford  | 0                  | 0     | 2     | 0     |             |               |           |           |           |           | East      |           |
|            | Yreka         | Yreka    | 0                  | 0     | 2     | 0     |             |               |           |           |           |           | East      |           |
|            | Yreka         | Yreka    | 2                  | 1     | 0     | 2     |             |               |           |           |           |           | West      |           |

Unless the number of trips divided by the number of units is greater than 8 (construction shift length), peak daily units is used as the peak hourly trucks. Assumed single truck makes maximum two trips to Klamath Falls from J.C. Boyle in Alt 3.

| Road Segment     | Direction | Number of Heavy Trucks per Hour |       |       |       |         | JC Boyle | Number of Heavy Trucks per Hour |           |         |   |   |
|------------------|-----------|---------------------------------|-------|-------|-------|---------|----------|---------------------------------|-----------|---------|---|---|
|                  |           | Alt 2                           | Alt 3 | Alt 4 | Alt 5 | Copco 1 |          | Copco 2                         | Iron Gate | Maximum |   |   |
| Topsy Grade Rd   | North     | 4                               | 4     | 0     | 0     | 0       | 0        | 0                               | 0         | 0       | 0 | 0 |
|                  | South     | 0                               | 0     | 4     | 4     | 4       | 4        | 0                               | 0         | 0       | 0 | 4 |
| OR 66            | East      | 4                               | 4     | 4     | 4     | 4       | 4        | 0                               | 0         | 0       | 0 | 4 |
|                  | West      | 0                               | 0     | 0     | 0     | 0       | 0        | 0                               | 0         | 0       | 0 | 0 |
| US 97            | North     | 4                               | 4     | 0     | 0     | 0       | 0        | 0                               | 0         | 0       | 0 | 0 |
|                  | South     | 0                               | 0     | 0     | 0     | 0       | 0        | 0                               | 0         | 0       | 0 | 0 |
| Ager Rd          | North     | 0                               | 0     | 2     | 2     | 2       | 0        | 2                               | 2         | 0       | 0 | 2 |
|                  | South     | 1                               | 1     | 0     | 0     | 0       | 0        | 0                               | 0         | 0       | 0 | 0 |
| Copco Rd         | East      | 0                               | 0     | 4     | 2     | 2       | 0        | 2                               | 2         | 4       | 4 | 4 |
|                  | West      | 9                               | 5     | 0     | 4     | 4       | 0        | 0                               | 0         | 0       | 0 | 0 |
| I-5 (Oregon)     | North     | 0                               | 0     | 0     | 0     | 0       | 0        | 0                               | 0         | 0       | 0 | 0 |
|                  | South     | 0                               | 0     | 2     | 4     | 4       | 2        | 2                               | 2         | 2       | 2 | 2 |
| I-5 (California) | North     | 0                               | 0     | 2     | 2     | 2       | 0        | 0                               | 0         | 2       | 2 | 2 |
|                  | South     | 10                              | 6     | 2     | 6     | 6       | 0        | 2                               | 2         | 2       | 2 | 2 |

Alt 4 construction at each dam occurs in a different year, therefore, the maximum truck travel on each road is used.

Table U3E. Estimated Peak Hour Traffic Counts per Direction

| Road Segment                  | Direction | Existing Conditions <sup>1</sup> |                            | Proposed Action           |      |                            | Partial Removal           |      |               | Fish Passage              |      |               | Remove Two Dams           |      |               |                           |
|-------------------------------|-----------|----------------------------------|----------------------------|---------------------------|------|----------------------------|---------------------------|------|---------------|---------------------------|------|---------------|---------------------------|------|---------------|---------------------------|
|                               |           | Auto <sup>2</sup>                | Medium Trucks <sup>2</sup> | Heavy Trucks <sup>2</sup> | Auto | Medium Trucks <sup>3</sup> | Heavy Trucks <sup>3</sup> | Auto | Medium Trucks | Heavy Trucks <sup>3</sup> | Auto | Medium Trucks | Heavy Trucks <sup>3</sup> | Auto | Medium Trucks | Heavy Trucks <sup>3</sup> |
| Topsy Grade Rd <sup>4</sup>   | North     | 6                                | 4                          | 1                         | 6    | 4                          | 5                         | 6    | 4             | 4                         | 6    | 4             | 1                         | 6    | 4             | 1                         |
|                               | South     | 6                                | 4                          | 1                         | 51   | 4                          | 1                         | 47   | 4             | 1                         | 26   | 4             | 5                         | 26   | 4             | 5                         |
| OR 66 <sup>4</sup>            | East      | 15                               | 9                          | 2                         | 15   | 9                          | 6                         | 15   | 9             | 6                         | 15   | 9             | 6                         | 15   | 9             | 6                         |
|                               | West      | 15                               | 9                          | 2                         | 60   | 9                          | 2                         | 56   | 9             | 2                         | 35   | 9             | 2                         | 35   | 9             | 2                         |
| US 97 <sup>4</sup>            | North     | 106                              | 90                         | 120                       | 106  | 90                         | 124                       | 106  | 90            | 124                       | 106  | 90            | 120                       | 106  | 90            | 120                       |
|                               | South     | 106                              | 90                         | 120                       | 151  | 90                         | 120                       | 147  | 90            | 120                       | 126  | 90            | 120                       | 126  | 90            | 120                       |
| Ager Rd                       | North     | 6                                | 4                          | 1                         | 6    | 4                          | 1                         | 6    | 4             | 1                         | 6    | 4             | 3                         | 6    | 4             | 3                         |
|                               | South     | 6                                | 4                          | 1                         | 6    | 4                          | 2                         | 6    | 4             | 2                         | 6    | 4             | 1                         | 6    | 4             | 1                         |
| Copco Rd <sup>5</sup>         | East      | 9                                | 0                          | 4                         | 125  | 0                          | 4                         | 123  | 0             | 4                         | 39   | 0             | 8                         | 105  | 0             | 6                         |
|                               | West      | 9                                | 0                          | 4                         | 9    | 0                          | 13                        | 9    | 0             | 9                         | 9    | 0             | 4                         | 9    | 0             | 8                         |
| I-5 (Oregon) <sup>5</sup>     | North     | 848                              | 214                        | 159                       | 848  | 214                        | 159                       | 848  | 214           | 159                       | 848  | 214           | 159                       | 848  | 214           | 159                       |
|                               | South     | 848                              | 214                        | 159                       | 964  | 214                        | 159                       | 962  | 214           | 159                       | 878  | 214           | 161                       | 944  | 214           | 163                       |
| I-5 (California) <sup>5</sup> | North     | 542                              | 0                          | 218                       | 658  | 0                          | 218                       | 656  | 0             | 218                       | 572  | 0             | 220                       | 638  | 0             | 220                       |
|                               | South     | 542                              | 0                          | 218                       | 542  | 0                          | 228                       | 542  | 0             | 224                       | 542  | 0             | 220                       | 542  | 0             | 224                       |

Notes:

<sup>1</sup> See Existing Conditions table for PHT distribution references.

<sup>2</sup> TNM vehicle classification: Auto = cars and light duty trucks, Medium Trucks = all cargo vehicles with two axles and six tires; Heavy trucks - all cargo vehicles with three or more axles.

<sup>3</sup> All haul trucks assumed to be Heavy Trucks (3 axles or more).

<sup>4</sup> Workers for J.C. Boyle assumed to travel from Klamath Falls. Maximum number of construction workers for J.C. Boyle added to the Auto category for Topsy Grade Rd, OR 66, and US 97

<sup>5</sup> Workers for Iron Gate, Copco 1, and Copco 2 assumed to travel from Medford or Yreka. Maximum number of construction workers for the three facilities added to the Auto category for Copco Rd and I-5. Construction workers are double counted in the Oregon and California segments of I-5 for conservative estimate.

**Table U3F. 1-Hr Leq Noise Levels Near Roadways (dBA)**

| Road Segment     | Existing / No Action (Baseline) |        | Proposed Action |        | Partial Removal        |        | Fish Passage at Four Dams |        | Fish Passage at Two Dams |        |
|------------------|---------------------------------|--------|-----------------|--------|------------------------|--------|---------------------------|--------|--------------------------|--------|
|                  | 50 ft                           | 500 ft | 50 ft           | 500 ft | 50 ft                  | 500 ft | 50 ft                     | 500 ft | 50 ft                    | 500 ft |
| Topsy Grade Rd   | 53                              | 42     | 56              | 45     |                        |        | 56                        | 44     | 56                       | 44     |
| OR 66            | 60                              | 49     | 62              | 51     |                        |        | 62                        | 50     | 62                       | 50     |
| US 97            | 75                              | 64     | 76              | 64     |                        |        | 76                        | 64     | 76                       | 64     |
| Ager Rd          | 53                              | 42     | 54              | 43     | Less impact than Alt 2 |        | 54                        | 43     | 53                       | 42     |
| Copco Rd         | 58                              | 46     | 63              | 51     |                        |        | 60                        | 49     | 62                       | 51     |
| I-5 (Oregon)     | 77                              | 66     | 77              | 66     |                        |        | 77                        | 66     | 77                       | 66     |
| I-5 (California) | 76                              | 66     | 77              | 66     |                        |        | 77                        | 66     | 77                       | 66     |

**Increase in 1-Hr Leq Noise Level Above Existing Conditions (dBA)**

| Road Segment     | Significance Criteria (dBA) |        | Proposed Action |        | Partial Removal        |        | Fish Passage at Four Dams |        | Fish Passage at Two Dams |        |
|------------------|-----------------------------|--------|-----------------|--------|------------------------|--------|---------------------------|--------|--------------------------|--------|
|                  | 50 ft                       | 500 ft | 50 ft           | 500 ft | 50 ft                  | 500 ft | 50 ft                     | 500 ft | 50 ft                    | 500 ft |
| Topsy Grade Rd   | OR                          | 10     | 3               | 3      |                        |        | 3                         | 3      | 3                        | 3      |
| OR 66            | OR                          | 10     | 2               | 2      |                        |        | 1                         | 1      | 1                        | 1      |
| US 97            | OR                          | 10     | 0               | 0      |                        |        | 0                         | 0      | 0                        | 0      |
| Ager Rd          | CA                          | 12     | 1               | 1      | Less impact than Alt 2 |        | 3                         | 3      | 0                        | 0      |
| Copco Rd         | CA                          | 12     | 5               | 5      |                        |        | 2                         | 2      | 4                        | 4      |
| I-5 (Oregon)     | OR                          | 10     | 0               | 0      |                        |        | 0                         | 0      | 0                        | 0      |
| I-5 (California) | CA                          | 12     | 0               | 0      |                        |        | 0                         | 0      | 0                        | 0      |

The increase in Leq may appear different when subtracting the existing 1-hour Leq from project 1-hour Leq values due to rounding.

This page intentionally left blank